

# เอกสารข้อมูลผลิตภัณฑ์

ข้อมูลจำเพาะ



## Charging station, EVlink Home Smart, 1P+N, 1xT2, 7.4kW, 32A, with RDC-DD

EVH4A07N2

### Main

Range	EVlink
Product Name	EVlink Home
Product Or Component Type	Charging station
Poles Description	1P + N
Mounting Mode	Wall-mounted
Offer Type	Smart
Max Power	7.4 kW 32 A 230 V
Number Of Charge Point	1
Connection To The Vehicle	Socket-outlet T2 front face
Quantity Per Set	Set of 1

### Complementary

Rated Supply Voltage	230 V AC 50 Hz +/- 10 %
Earthing System	TT TN-S
Number Of Inputs	1
Input Type	Auxiliary for dynamic energy management
Control Type	Red 1 emergency stop, function: 1 push-button
Local Signalling	Red, green and blue 1 LED, function: status indication
Protection Type	Earth-leakage protection
Height	409 mm
Width	282 mm
Depth	148 mm
Net Weight	4.5 kg
Colour	White (RAL 9003)
Standards	EN 61851 IEC 61851-1 EN 61000-6-1 EN 61000-6-3
Product Certifications	CE UKCA
Maximum Supply Current	32 A
Communication Network Type	Wi-Fi RJ45

<b>Communication Port Protocol</b>	OCPP 1.6, for connection to the Schneider Electric Wiser app
<b>Communication Service</b>	JSON smart charging

## Environment

<b>Ip Degree Of Protection</b>	IP54 conforming to EN/IEC 60529
<b>Ik Degree Of Protection</b>	IK10 conforming to IEC 62262
<b>Ambient Air Temperature For Operation</b>	-30...50 °C
<b>Ambient Air Temperature For Storage</b>	-40...85 °C
<b>Relative Humidity</b>	5...95 %
<b>Operating Altitude</b>	0...2000 m

## Packing Units

<b>Unit Type Of Package 1</b>	PCE
<b>Number Of Units In Package 1</b>	1
<b>Package 1 Height</b>	22.000 cm
<b>Package 1 Width</b>	39.500 cm
<b>Package 1 Length</b>	49.000 cm
<b>Package 1 Weight</b>	5.390 kg
<b>Unit Type Of Package 2</b>	CAR
<b>Number Of Units In Package 2</b>	16
<b>Package 2 Height</b>	105.000 cm
<b>Package 2 Width</b>	80.000 cm
<b>Package 2 Length</b>	120.000 cm
<b>Package 2 Weight</b>	105.000 kg

## ความยั่งยืน

ฉลาก **Green Premium™** เป็นความมุ่งมั่นของ Schneider Electric ในการส่งมอบผลิตภัณฑ์ที่มีประสิทธิภาพด้านสิ่งแวดล้อมที่ดีที่สุด Green Premium ให้คำมั่นว่าจะปฏิบัติตามกฎระเบียบล่าสุด ความโปร่งใสต่อผลกระทบด้านสิ่งแวดล้อม รวมถึงผลิตภัณฑ์หมุนเวียนและ CO<sub>2</sub> ต่ำ

คู่มือการประเมินความยั่งยืนของผลิตภัณฑ์เป็นเอกสารวิจัยที่ช่วยชี้แจงมาตรฐานฉลากสิ่งแวดล้อมทั่วโลกและวิธีการตีความการประเมิน

[เรียนรู้เพิ่มเติมเกี่ยวกับ Green Premium >](#)

[แนวทางในการประเมินความยั่งยืนของผลิตภัณฑ์ >](#)



ความโปร่งใส RoHS/REACH

## ประสิทธิภาพด้านสุขภาพ

Mercury Free

Rohs Exemption Information [Yes](#)

## ใบรับรองและมาตรฐาน

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>